CONSOLIDATED CHECKLIST C6 Part 3 of 5 parts

Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities 40 CFR Part 265, Subparts K-R, as of June 30, 1999 as published in the July 1, 1999 CFR

Note: Consolidated Checklist C6 is divided into five separate documents/computer files solely for ease of handling its printed and electronic versions. Consolidated Checklist C6 remains one checklist; States must adopt all five portions simultaneously to correctly use this Consolidated Checklist. Note, the prenotes and endnotes associated with each part have been placed with the part to which they apply. This part of Consolidated Checklist C6, Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities, 40 CFR Part 265, Subparts K-R, has not changed since June 30, 1998.

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
		SUBP	ART K - SURFACE I	MPOUNDMENT	TS.			
	APPLICABILITY							
	surface impoundments used to treat, store, or dispose of hazardous waste	*	265.220					
	DESIGN REQUIREMEN	TS						
1		17 H,100	265.221(a)					
	notify Regional Administrator; Part B application	17 H	265.221(b)					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
†,2	when a replacement surface impoundment unit is exempt from 265.221(a):	17 H,100	265.221(c)					
	constructed in compliance with RCRA 3004(o)(1)(A)(i) and (o)(5) design standards	100	265.221(c)(1)					
	no reason to believe liner is not functioning as designed	100	265.221(c)(2)					
	designed	100	203.221(0)(2)					
†,3	Waiver From Double Line	r Requireme	nts		1			
		17 H	265.221(d)					
		17 H,74	265.221(d)(1)					
			265.221(d)(2)(i)(A)					
			265.221(d)(2)(i)(B)					
	aan didiana fan waiwin a		265.221(d)(2)(i)(C)					
	conditions for waiving 265.221(a)	17 H	265.221(d)(2)(ii)					
†	first permit must honor liner system installed pursuant to 265.221(a), except if leaking	17 H	265.221(e)					
4	60 cm of freeboard required	IV B,†15, 100	265.221(f)					
†,4	condition for variance from 60 cm of freeboard	15,100	265.221(g)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
surface impoundments newly subject to RCRA §3005(j)(1) must be in compliance with 265.221(a),(c)&(d) no later than 48 months after additional characteristic or listing promulgation; Part 268 land disposal prohibitions or an extension to an effective date, within the 48-month period, shall not cut short compliance							
period 4 ACTION LEAKAGE BA	109	265.221(h)					
proposed action leakage rate to Regional Administrator when submitting 265.221(b) notice; within 60 days of receipt, Regional Administrator will establish action leakage rate or extend review period; when the proposed rate will be approved	100	265.222(a)					
Regional Administrator approval of action leakage rate for 265.221(a) units; definition of action leakage rate; adequate safety margin	100	265.222(b)					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
	how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period, and monthly during post-closure care period	100	265.222(c)					
5	CONTAINMENT SYSTE	EM	T					
	protective cover required for earthen dikes	IV B	265.223					
5	RESPONSE ACTIONS							
	if unit subject to 265.221(a), then must submit a response action plan to the Regional Administrator when submitting 265.222 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.223(b)	100	265.223(a)					
	responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.223(b)					
	notify Regional Administrator in writing within seven days of determination	100	265.223(b)(1)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.223(b)(2)					
determine location, size and cause of any leak	100	265.223(b)(3)					
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.223(b)(4)					
determine short- and longer-term actions to mitigate or stop any leaks	100	265.223(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.223(b)(3)- (5) analyses, the results of actions taken, and actions planned; thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.223(b)(6)					
how the 265.223(b)(3)-	200	255,225(5)(0)					
(5) determinations must be made:	100	265.223(c)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
assess the source of liquids and amounts by source	100	265.223(c)(1)(i)					
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.223(c)(1)(ii)					
assess seriousness of leaks	100	265.223(c)(1)(iii)					
document why assessments not needed	100	265.223(c)(2)					
reserved		265.224					
WASTE ANALYSIS ANI	D TRIAL T	ESTS					
		265.225(a)					
		265.225(a)(1)					
waste analyses in		265.225(a)(2)					
addition to 265.13 and the circumstances requiring		265.225(a)(2)(i)					
	IV B	265.225(a)(2)(ii)					
MONITORING AND INS	SPECTION						
		265.226(a)					
daily and weekly		265.226(a)(1)					
•	IV B	265.226(a)(2)					
if leak detection system required under 265.221(a), record amount of liquid removed from each sump, at least weekly during active life and closure period	100	265.226(b)(1)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
after final cover installed, record amount of liquids at least monthly; when quarterly and semi- annual recording allowed; when monthly recording must resume	100	265.226(b)(2)					
"pump operating level" defined	100	265.226(b)(3)					
reserved		265.227					
CLOSURE AND POST-	CLOSURE (CARE					
		265.228(a)					
		265.228(a)(1)					
		265.228(a)(2)					
		265.228(a)(2)(i)					
		265.228(a)(2)(ii)					
		265.228(a)(2)(iii)					
		265.228(a)(2)(iii)(A)					
		265.228(a)(2)(iii)(B)					
		265.228(a)(2)(iii)(C)					
		265.228(a)(2)(iii)(D)					
closure requirements	IV B,36	265.228(a)(2)(iii)(E)					
		265.228(b)					
	IV B,36	265.228(b)(1)					
	100	265.228(b)(2)					
post-closure	IV B,36,	265.228(b)(3)					
requirements	100	265.228(b)(4)					
removed	IV B,36	265.228(c)					

					STATE A	NALOG IS:	
FEDERAL REQUIREME	CHECKLIST NTS REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
SPECIAL REQUIR	EMENTS FOR I	GNITABLE OR REAC	CTIVE WASTE				
conditions for placer in a surface		265 220					
impoundment	*,†15,78	265.229					
waste treatment to		265.229(a)					
specific criteria prior	r to	265.229(a)(1)					
placement	IV B,†15	265.229(a)(2)					
8		265.229(b)(1)					
waste management prevent reaction or	to	265.229(b)(2)					
ignition	IV B,†15	265.229(b)(3)					
emergency placeme	nt IV B,†15	265.229(c)					
SPECIAL REQUIR	EMENTS FOR I	NCOMPATIBLE WAS	STES				
prohibited co-disposa incompatible wastes materials unless compliance with	or						
265.17(b)	IV B	265.230					
AIR EMISSION ST	ΓANDARDS	<u> </u>	<u> </u>	1		I	1
owners/operators su to applicable requirements of 265. Subparts BB & CC they place hazardous waste in surface impoundment	, if	265.231					
		SUBPART L - WA	STE PILES				
APPLICABILITY							
storage or treatment facilities using waste piles; alternative management under 2 Subpart N		265.250					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
PROTECTION FROM V	WIND						
wind dispersal control	IV B	265.251					
WASTE ANALYSIS							
additional analyses	IV B	265.252					
CONTAINMENT	•	•	•			•	
to control leachate or run-off	IV B	265.253					
		265.253(a)(1)					
place pile on		265.253(a)(2)					
impermeable base with		265.253(a)(3)					
run-on and run-off management	IV B	265.253(a)(4)					
protect pile from		265.253(b)(1)					
precipitation and liquids	IV B	265.253(b)(2)					
DESIGN AND OPERAT	TING REQUI	IREMENTS					
waste piles which must install two or more liners and a leachate collection and removal system in accordance with 264.251(c) unless exempt under 264.251(d), (e) or (f); compliance with 265.221(b) procedures; "construction commences" defined under "existing facility"	17 H,100	265.254					

·!						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
	ACTION LEAKAGE RA	TES						
	proposed action leakage rate to Regional Administrator when submitting 265.254 notice; within 60 days of receipt, Regional Administrator will establish action leakage rate or extend review period; when the proposed rate will be approved	IV B	265.255(a)					
0	Regional Administrator approval of action leakage rate for 265.254 units; definition of action leakage rate; adequate safety margin	100	265.255(b)					
,	how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period	100	265.255(c)					
	SPECIAL REQUIREMEN	NTS FOR IC	GNITABLE OR REAC	TIVE WASTE			-	-
		IV B,78	265.256(a)					
	conditions for placement of ignitable or reactive		265.256(a)(1)					
	waste in waste piles	IV B	265.256(a)(2)					
	SPECIAL REQUIREMEN	NTS FOR IN	NCOMPATIBLE WAS	STES				
·	placement in same pile prohibited unless 265.17(b) is complied with	IV B	265.257(a)					

-					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
waste separation or protection	IV B	265.257(b)					
base decontamination	IV B	265.257(c)					
CLOSURE AND POST-0	CLOSURE (CARE					
closure requirements	IV B	265.258(a)					
post-closure care if not all contaminated subsoils can be practically removed	IV B	265.258(b)					
RESPONSE ACTIONS							
if unit subject to 265.254, then must submit a response action plan to the Regional Administrator when submitting 265.255 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.259(b)	100	265.259(a)					
responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.259(b)					
notify Regional Administrator in writing within seven days of determination	100	265.259(b)(1)					
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.259(b)(2)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
determine location, size and cause of any leak	100	265.259(b)(3)					
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.259(b)(4)					
determine short- and longer-term actions to mitigate or stop any leaks	100	265.259(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.259(b)(3)- (5) analyses, the results of actions taken and actions planned thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.259(b)(6)					
how the 265.259(b)(3), (4) & (5) determinations must be made:	100	265.259(c)					
assess the source of liquids and amounts by source	100	265.259(c)(1)(i)					

					STATE Al	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.259(c)(1)(ii)					
assess seriousness of leaks	100	265.259(c)(1)(iii)					
document why assessments not needed	100	265.259(c)(2)					
MONITORING AND IN	SPECTION						
if leak detection system required under 265.254, record amount of liquids removed from each sump, at least weekly during active life and closure period	100	265.260					
erosare period	I	UBPART M - LAND	TREATMENT				
APPLICABILITY	<u> </u>	CDITINI IVI LIND	TICE TIVIETY				
facilities that treat or dispose of hazardous waste in land treatment units	*	265.270					
reserved		265.271					
GENERAL OPERATING	REQUIRE	MENTS					
conditions for land treatment	IV B,†15	265.272(a)					
run-on control	IV B	265.272(b)					
run-off control	IV B	265.272(c)					
maintenance of collection capacity	IV B	265.272(d)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
wind dispersal control	IV B	265.272(e)					
WASTE ANALYSIS							
additional analyses	*	265.273					
Toxicity Characteristic	IV B,74	265.273(a)					
listed wastes	IV B	265.273(b)					
heavy metals	IV B	265.273(c)					
reserved		265.274 & 265.275					
FOOD-CHAIN CROPS							
notification if grow food chain crops	IV B	265.276(a)					
prohibition against food chain crops, unless		265.276(b)(1)					
demonstration for		265.276(b)(1)(i)					
265.273(b) waste constituents	IV B	265.276(b)(1)(ii)					
demonstration information must be kept		265.276(b)(2)					
at facility; what it must		265.276(b)(2)(i)					
be based on; what it must include	IV B	265.276(b)(2)(ii)					
additional requirements for land treatment facility receiving waste with							
cadmium	IV B	265.276(c)					
		265.276(c)(1)(i)					
requirements if crops are	IV B	265.276(c)(1)(ii)					
in human food chain		265.276(c)(1)(iii)					
		265.276(c)(1)(iii)(A)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
		265.276(c)(1)(iii)(B)					
		265.276(c)(2)(i)					
		265.276(c)(2)(ii)					
requirements if crops will		265.276(c)(2)(iii)					
be used as animal feed	IV B	265.276(c)(2)(iv)					
reserved		265.277					
UNSATURATED ZONE	(ZONE OF	AERATION) MONIT	ORING			-	-
written unsaturated zone monitoring plan required		265.278(a)					
and implemented; what plan must be designed to		265.278(a)(1)					
do	IV B	265.278(a)(2)					
		265.278(b)					
what unsaturated zone		265.278(b)(1)					
monitoring must at a minimum include	IV B	265.278(b)(2)					
		265.278(c)					
		265.278(c)(1)					
		265.278(c)(2)					
		265.278(c)(2)(i)					
demonstration required to comply with		265.278(c)(2)(ii)					
265.278(a)(1)	IV B	265.278(c)(3)					
retention of plan; rationale	IV B	265.278(d)					
soil and soil-pore water analysis	IV B	265.278(e)					
RECORDKEEPING							
operating record to include waste application dates and rates	IV B	265.279					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
CLOSURE AND POST-0	CLOSURE					_	
		265.280(a)					
		265.280(a)(1)					
		265.280(a)(2)					
objectives which must be addressed in closure and		265.280(a)(3)					
post-closure plans	IV B	265.280(a)(4)					
		265.280(b)					
		265.280(b)(1)					
		265.280(b)(2)					
		265.280(b)(3)					
		265.280(b)(4)					
factors needed to meet		265.280(b)(5)					
the closure and post- closure care objectives		265.280(b)(6)					
of 265.280(a)	IV B	265.280(b)(7)					
		265.280(c)					
		265.280(c)(1)					
		265.280(c)(2)					
		265.280(c)(2)(i)					
methods to address closure/post-closure plan		265.280(c)(2)(ii)					
objectives	IV B	265.280(c)(3)					
		265.280(d)					
		265.280(d)(1)					
		265.280(d)(2)					
closure requirements in addition to Subpart G		265.280(d)(3)					
requirements	IV B	265.280(d)(4)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
certification that facility has been closed in accordance with specifications of							
approved plan	IV B	265.280(e)					
		265.280(f)					
		265.280(f)(1)					
		265.280(f)(2)					
requirements in addition		265.280(f)(3)					
to 265.117 requirements	IV B	265.280(f)(4)					
SPECIAL REQUIREMENT	NTS FOR IC	SNITABLE OR REAC	TIVE WASTE				
conditions for applying ignitable or reactive							
wastes to treatment zone	*,78	265.281					
		265.281(a)					
immediate incorporation		265.281(a)(1)					
of waste into soil	IV B	265.281(a)(2)					
protective management so no reaction or ignition	IV B	265.281(b)					
SPECIAL REQUIREMENT	NTS FOR IN	COMPATIBLE WAS	TES				
conditions for disposal of incompatible wastes or materials	IV B	265.282					
		SUBPART N - LA	NDFILLS				
APPLICABILITY							
apply to hazardous waste disposal facilities using landfills	IV B	265.300					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
	DESIGN AND OPERATI	ING REQUI	REMENTS					
11	landfills which must install two or more liners and a leachate collection and removal system above and between such liners, and operate in accordance with 264.301(d), (e) or (f); "construction commences" defined under "existing facility"	17 H,100	265.301(a)					
	notify Regional Administrator	17 H	265.301(b)					
†,12	when a landfill owner/operator is exempt from 265.301(a)	17 H,100	265.301(c)					
	meets RCRA 3004(o)(1)(A)(i) and (o)(5) design standards	100	265.301(c)(1)					
	no reason to believe liner is not functioning as designed	100	265.301(c)(2)					
		- ·						
	Waiver From Double Line							<u> </u>
13		17 H	265.301(d)					
		17 H,108	265.301(d)(1)					
			265.301(d)(2)(i)(A)					
			265.301(d)(2)(i)(B)					
			265.301(d)(2)(i)(C)					
	waiver for monofills	17 H	265.301(d)(2)(ii)					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
†	liner systems installed pursuant to 265.301(a) will be honored, unless leaking	17 H	265.301(e)					
14	run-on control	IV B,100	265.301(f)					
14	run-off control	IV B,100	265.301(g)					
14	collection and holding facilities	IV B,100	265.301(h)					
14	wind dispersal control	IV B,100	265.301(i)					
14	ACTION LEAKAGE RA	TE						
	proposed action leakage rate to Regional Administrator when submitting 265.301(b) notice; within 60 days of receipt Regional Administrator will establish action leakage rate or extend the review period; when the proposed rate will be approved	100	265.302(a)					
15	Regional Administrator approval of action leakage rate for units subject to 265.301(a); definition of action leakage rate; adequate safety margin	100	265.302(b)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period, and monthly during post-closure care period	100	265.302(c)					
RESPONSE ACTIONS		I				1	<u> </u>
if unit subject to 265.301(a), then must submit a response action plan to the Regional Administrator when submitting 265.302 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.303(b)	100	265.303(a)					
responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.303(b)					
notify Regional Administrator in writing within seven days of determination	100	265.303(b)(1)					
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.303(b)(2)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
determine location, size and cause of any leak	100	265.303(b)(3)					
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.303(b)(4)					
determine short- and longer-term actions to mitigate or stop any leaks	100	265.303(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.303(b)(3)- (5) analyses, the results of actions taken and actions planned; thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.303(b)(6)					
how the 265.303(b)(3)-(5) determinations must be made:	100	265.303(c)					
assess the source of liquids and amounts by source	100	265.303(c)(1)(i)					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.303(c)(1)(ii)					
assess seriousness of leaks	100	265.303(c)(1)(iii)					
document why assessments not needed	100	265.303(c)(2)					
MONITORING AND IN	SPECTION						
if leak detection system required under 265.301(a), record amount of liquids removed from each sump, at least weekly during active life and closure period	100	265.304(a)					
after final cover installed, record amount of liquid at least monthly; when quarterly and semiannual recording allowed; when monthly recording must resume	100	265.304(b)					
definition of "pump operating level"	100	265.304(c)					
reserved		265.305-265.308					
SURVEYING AND REC	ORDKEEP	ING					
items which must be in operating record	*	265.309					

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
location and dimensions of landfill to be shown on maps	IV B	265.309(a)					
contents of each cell and location of each hazardous waste type in each cell	IV B	265.309(b)					

					STATE ANALOG IS:			
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE	
CLOSURE AND POST-	CLOSURE (CARE				_		
		265.310(a)						
		265.310(a)(1)						
		265.310(a)(2)						
		265.310(a)(3)						
cover requirements at		265.310(a)(4)						
final closure	IV B,15	265.310(a)(5)						
post-closure requirements	IV B,15	265.310(b)						
final cover requirements	IV B,15	265.310(b)(1)						
maintain and monitor the leak detection system in accordance with 264.301(c)(3)(iv) & (4), and 265.304(b); comply with other applicable Part 265 leak detection system requirements	100	265.310(b)(2)						
ground-water monitoring system requirements	IV B,15, 100	265.310(b)(3)						
run-on and run-off control requirements	IV B,15, 100	265.310(b)(4)						
protect and maintain surveyed benchmarks	IV B,15, 100	265.310(b)(5)						
		265.310(c)						
removed	IV B,15	265.310(d)						
reserved		265.311						

					STATE ANALOG IS			
FEDERAL RI	EQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
SPECIAL F	REQUIREME	NTS FOR IC	NITABLE OR REAC	TIVE WASTE				
unless waste	placement prohibited unless waste and landfill meet Part 268 requirements and waste is no longer ignitable or reactive and 265.17(b) is	IV B,78	265.312(a)					
requirement is no longer			265.312(a)(1)					
reactive and complied wi		IV B	265.312(a)(2)					
containerize	ed wastes	IV B,78	265.312(b)					
SPECIAL F	REQUIREME	NTS FOR IN	COMPATIBLE WAS	TES				
conditions fo	or disposal in	IV B	265.313					
SPECIAL I	REQUIREME	NTS FOR B	ULK AND CONTAIN	ERIZED LIQUI	DS			
bulk liquid d to May 8, 19		IV B,17 F	265.314(a)					
liner and learequirement	achate system	IV B	265.314(a)(1)					
liquids must	be stabilized	IV B,118	265.314(a)(2)					
8 May 8, 1985 ban	5 free liquids	17 F,118	265.314(b)					
8			265.314(c)					
		IV B,	265.314(c)(1)					
		†17 F	265.314(c)(1)(i)					
		IV B, †17 F,118	265.314(c)(1)(ii)					
			265.314(c)(1)(iii)					
			265.314(c)(2)					
	or placement s holding free	IV B,	265.314(c)(3)					
liquids in a l		†17 F	265.314(c)(4)					

					STATE ANALOG IS:			
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
19	paint filter test	16,†17 F, 25,126	265.314(d)					
18	compliance date	IV B, †17 F	265.314(e)					
20	sorbents used to treat free liquids disposed in landfills must be nonbiodegradable; definition of nonbiodegradable sorbents	118	265.314(f)					
20,21			265.314(f)(1)					
			265.314(f)(1)(i)					
	nonbiodegradable		265.314(f)(1)(ii)					
	sorbents	118	265.314(f)(1)(iii)					
20	tests for nonbiodegradable sorbents	118	265.314(f)(2)					
	ASTM Method G21-70 (1984a)	118	265.314(f)(2)(i)					
	ASTM Method G22-76 (1984b)	118,†145	265.314(f)(2)(ii)					
†	OECD test 301B	145	265.314(f)(2)(iii)					
20	nonhazardous liquids ban effective November 8, 1985; what must be demonstrated to Regional Administrator for exemption	17 F,118	265.314(g)					
†,20	only reasonable available alternative	17 F,118	265.314(g)(1)					

					STATE ANALOG IS:			
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
†,20	not a risk of contaminating underground source of drinking water	17 F,118	265.314(g)(2)					

						STATE A	NALOG IS:	
	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROAD R IN SCOPE
22	SPECIAL REQUIREMEN	NTS FOR C	ONTAINERS					
	requirements if containers not very small	15	265.315					
	at least 90% full	IV B,15	265.315(a)					
	crushed, shredded or reduced in volume before burial	IV B,15	265.315(b)					
	DISPOSAL OF SMALL PACKS)	CONTAINE	ERS OF HAZARDOUS	S WASTE IN OV	ERPAC	KED DF	RUMS (L	AB
	conditions for placement of overpacked drums in landfills	*	265.316					
	inside container requirements including DOT requirements	IV B	265.316(a)					
	overpackingDOT							
	requirements; outer container	IV B,118	265.316(b)					
23	•	IV B,118 IV B,118	265.316(b) 265.316(c)					
23	container	1						
23	absorbent material	IV B,118	265.316(c)					

APPLICABILITY

					STATE ANALOG IS:		
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
regulations apply to owners and operators of hazardous waste incinerators (as defined in 260.10), except as 265.1 provides otherwise)	IV B,13, 19,85	265.340(a)					
		265.340(b)					
		265.340(b)(1)					
		265.340(b)(2)					
		265.340(b)(3)					
exemptions	IV B	265.340(b)(4)					
WASTE ANALYSIS							
analyze wastes not previously burned	*	265.341					
		265.341(a)					
factors which at a minimum must be		265.341(b)					
analyzed	IV B	265.341(c)					
reserved		265.342-265.344					
GENERAL OPERATING	REQUIRE	MENTS					
during start-up and shut- down, limit waste feed to steady state	IV B	265.345					
reserved		265.346					
MONITORING AND IN	SPECTION	S					
monitoring and inspection requirement	*	265.347					
15-minute monitoring of combustion and emission control instruments; appropriate corrections	IV B	265.347(a)					

				STATE ANALOG IS:			
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
daily inspection of incinerator and associated equipment	IV B	265.347(b)					
reserved		265.348-265.350					

-				STATE ANALOG IS:					
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE		
CLOSURE									
remove all hazardous wastes and residues	IV B	265.351							
INTERIM STATUS INCINERATORS BURNING PARTICULAR HAZARDOUS WASTES									
certification to burn dioxins	14	265.352(a)							
		265.352(b)							
		265.352(b)(1)							
certification standards		265.352(b)(2)							
and procedures	14	265.352(b)(3)							
	SU	BPART P - THERMA	L TREATMENT						
OTHER THERMAL TRE	EATMENT								
treatment in other than enclosed devices using controlled flame combustion; which subparts the unit is subject to	IV B,13, 94	265.370							
reserved		265.371-265.372							
GENERAL OPERATING	REQUIRE	MENTS							
waste feed limited to steady state conditions of operation, unless process is non-continuous	IV B	265.373							
reserved		265.374							
WASTE ANALYSIS									
analyze wastes not previously treated to establish steady state or other appropriate operating conditions	*	265.375							

					STATE A	NALOG IS:	
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
		265.375(a)					
factors which at a minimum must be		265.375(b)					
analyzed	IV B	265.375(c)					
reserved		265.376					
MONITORING AND IN	SPECTION	S					
		265.377(a)					
		265.377(a)(1)					
items requiring monitoring and inspections		265.377(a)(2)					
	IV B	265.377(a)(3)					
reserved		265.378-265.380					
CLOSURE						-	
remove all hazardous waste and residues	IV B	265.381					
OPEN BURNING; WAS	ΓΕ EXPLOS	SIVES					
prohibition on open burning of hazardous wastes except for open burning and detonation of waste explosives; definitions	IV B	265.382					
INTERIM STATUS THE WASTE	RMAL TRI	EATMENT DEVICES	BURNING PAR	TICULA	AR HAZ	ARDOU	S
certification to burn dioxins	14	265.383(a)					
		265.383(b)					
		265.383(b)(1)					
oomification -t 11-		265.383(b)(2)					
certification standards and procedures	14	265.383(b)(3)					

					STATE A	NALOG IS:			
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE		
SUBPAR	Г Q - СНЕМ	IICAL, PHYSICAL, A	ND BIOLOGICA	AL TRE	ATMEN'	Γ			
APPLICABILITY									
applies to owners/ operators of facilities which treat by chemical, physical, or biological methods in other than tanks, surface impoundments and land treatment facilities, except as 265.1 provides otherwise	IV B	265.400							
GENERAL OPERATING	REQUIRE	MENTS				n	П		
comply with 265.17(b)	IV B	265.401(a)							
placement of wastes	IV B	265.401(b)							
cut-off for continuous feed	IV B	265.401(c)							
WASTE ANALYSIS AN	D TRIAL T	ESTS				n	П		
		265.402(a)							
		265.402(a)(1)							
		265.402(a)(2)							
requirements in addition		265.402(a)(2)(i)							
to 265.13	IV B	265.402(a)(2)(ii)							
INSPECTIONS	•			ı		1	T		
		265.403(a)							
		265.403(a)(1)							
		265.403(a)(2)							
items to be inspected and		265.403(a)(3)							
frequency of inspection	IV B	265.403(a)(4)							

				STATE ANALOG IS:					
FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE		
CLOSURE									
remove all hazardous wastes and residues	IV B	265.404							
SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE									
ignitable or reactive waste must not be placed in treatment process or equipment unless certain conditions are met		265.405(a)							
		265.405(a)(1)							
	IV B	265.405(a)(2)							
SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES									
no treatment of incompatible wastes unless 265.17(b) compliance	IV B	265.406(a)							
no hazardous waste placed in unwashed treatment equipment unless 265.17(b) compliance	IV B	265.406(b)							
	SUBP.	ART R - UNDERGRO	OUND INJECTIO	N					
APPLICABILITY									
except as 265.1 provides otherwise:	*	265.430							
owner/operator exclusion	IV B	265.430(a)							
Class I and Class IV wells	IV B	265.430(b)							

Paragraph 265.221(a) was originally introduced by Revision Checklist 17H and was completely revised by Revision Checklist 100.

Paragraph 265.221(c) was originally introduced by Revision Checklist 17H. It was revised and restructured to include subparagraphs (c)(1)&(2) by Revision Checklist 100.

Citations within the double lines are optional, but if a State chooses to modify its program to adopt requirements equivalent to these provisions, it must adopt such requirements as a unit rather than by individual

40 CFR Part 265, Subparts K-R, as of June 30, 1999 (cont'd)

provision. In other words, all or none of these provisions must be included in a State's code. Subsequent changes to these provisions may or may not be optional for States that have adopted the original unit of provisions. An optional sign appears in front of the subsequent revision checklist number(s) if such subsequent changes are less stringent than or reduce the scope of the original requirements.

- Revision Checklist 100 transferred the text of 265.222(a)&(b) as originally introduced by Checklist IV B to 265.221 and redesignated them as 265.221(f)&(g). Then, 265.222 was amended by Revision Checklist 100 by revising the section heading and adding paragraphs (a),(b)&(c).
- Note that there are two sections designated as 265.223 in this consolidated checklist and in the CFR beginning with the July 1, 1992 edition. Revision Checklist 100 (57 FR 3462; January 29, 1992) added a new 265.223 ("Response actions") when 265.223 ("Containment systems") was already in the code as introduced by Checklist IV B.
- Revision Checklist 100 amended this section by revising the section heading and adding a new paragraph (b).
- Revision Checklist 100 amended this section by redesignating the original paragraphs 265.228(b)(2)&(3) as 265.228(b)(3)&(4) and adding a new paragraph (b)(2). Note that there is an error in the <u>Federal Register</u> addressed by Revision Checklist 100; the internal reference "265.221(c)(2)(iv)" should be "264.221(c)(2)(iv)."
- There is a printing error in the CFR beginning with the July 1, 1992 edition. Paragraph 265.229(b) should not contain a subparagraph (4). Refer to the July 1, 1991 CFR for the correct version of this paragraph.
- This section was completely revised by Revision Checklist 100, including the section heading.
- Note that there is a typographical error in the <u>Federal Register</u> addressed by Revision Checklist 100 (57 <u>FR</u> 3462; January 29, 1992); "surface impoundment" should be "waste pile."
- Paragraph 265.301(a) was originally introduced by Revision Checklist 17H and was completely revised by Revision Checklist 100.
- Paragraph 265.301(c) was originally introduced by Revision Checklist 17H. It was revised and restructured to include subparagraphs (c)(1) and (c)(2) by Revision Checklist 100.
- There are several errors in the <u>Federal Register</u> addressed by Revision Checklist 108 (57 <u>FR</u> 30657; July 10, 1992) at 265.301(d)(1). First, "such <u>waste does not</u>" should read "such <u>wastes do not</u>" and "261.4 of this chapter" should be "261.24 of this chapter" as found in the July 15, 1985 <u>Federal Register</u> at 50 <u>FR</u> 28750 (Revision Checklist 17 H) and in the 1992 CFR. Second, "Waste Number" should be "Waste Numbers".
- Revision Checklist 100 transferred the text of 265.302(a),(b),(c)&(d) as originally introduced by Checklist IV B to 265.301 and redesignated them as 265.301(f),(g),(h)&(i). Section 265.302 was then amended by Revision Checklist 100 by revising the section heading and adding paragraphs (a),(b)&(c).
- Note that there is a typographical error in the <u>Federal Register</u> addressed by Revision Checklist 100 (57 <u>FR</u> 3462; January 29, 1992); "surface impoundment" should be "landfill."

- Revision Checklist 100 amended this section by redesignating the original 265.310(b)(2),(3)&(4) as 265.310(b)(3),(4)&(5) and adding a new paragraph (b)(2).
- Paragraphs 265.310(c)&(d) were removed by the final rule addressed by Revision Checklist 15; however, these removals were not included on Revision Checklist 15.
- Revision Checklist 17 F made extensive changes to this section of code, including redesignating the original paragraphs 265.314(b)&(c) as 265.314(c)&(e) and adding a new paragraph 265.314(b).
- This provision was originally introduced to the code by the April 30, 1985 rule addressed by Revision Checklist 16. The paragraph was inadvertently reserved by the July 15, 1985 rule addressed by Revision Checklist 17 F. Revision Checklist 25 corrected the July 15, 1985 language by removing the "reserved" reference to paragraph (d) so that the paragraph would remain as originally promulgated. The provision has been subsequently revised by Revision Checklist 126.
- ²⁰ Revision Checklist 17 F (50 <u>FR</u> 28702; July 15, 1985) introduced the original 265.314(f), 265.314(f)(1) and 265.314(f)(2) into the code. Revision Checklist 118 (57 <u>FR</u> 54452; November 18, 1992) redesignated those provisions as 265.314(g), 265.314(g)(1), and 265.314(g)(2) and introduced a new 265.314(f) and subparagraphs.
- Note that there is a typographical error in the November 18, 1992 <u>Federal Register</u> article (57 <u>FR</u> 54452, Revision Checklist 118); at 265.314(f)(1)(ii), "polysobutylene" should be "poly<u>i</u>sobutylene." This error is reflected in the CFR beginning with the July 1, 1993, edition.
- Revision Checklist 15 completely revised the regulations at 264.315.
- Note that there is a typographical error in the November 18, 1992 <u>Federal Register</u> article (57 <u>FR</u> 54452, Revision Checklist 118); "container's" should be "containers,".
- This provision is part of the optional requirements for the alternate treatment standards for lab packs under the Third Scheduled Waste Rule. If adopted, all of the requirements (i.e., 264.316(f), 265.316(f), 268.7(a)(7), 268.7(a)(8), 268.42(c), 268.42(c)(1)-(4), and Appendices IV and V to Part 268) related to these alternate treatment standards must be adopted.